MINIMUM STANDARD HEALTH PROTOCOLS



Page 1 of 3

About minimum health protocols:

Adult recreational sports may operate in Texas. Spectators should maintain at least 6 feet social distancing from individuals not within the spectator's group.

The following are the minimum recommended health protocols for all adult recreational sports in Texas. Adult recreational sports operators may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees, contractors, volunteers and participants.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Adult recreational sports operators should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Adult recreational sports operators should also be mindful of federal and state employment and disability laws, workplace safety standards, and accessibility standards to address the needs of both workers and customers.

Hea	ith p	protocols for employees, contracto	rs, ai	nd volunteers ("staff"):		
	Provide notice to all participants of the enhanced risks of being in direct contact with anyone age 65 or older for 14 days after participating in a sporting event or practice.					
	Train all staff on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette.					
	Screen all staff each day for any of the following new or worsening signs or symptoms of possible COVID-19:					
		Cough Shortness of breath or difficulty breathing Chills Repeated shaking with chills Muscle pain Headache		Sore throat Loss of taste or smell Diarrhea Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit Known close contact with a person who is lab confirmed to have COVID-19		
	Limit staff with underlying conditions from attending or staffing the sporting event.					

MINIMUM STANDARD HEALTH PROTOCOLS



ADULT RECREATIONAL SPORTS OPERATORS: Page 2 of 3

	cloth	Consistent with the actions taken by many employers across the state, consider having all staff wear cloth face coverings (over the nose and mouth). If available, staff should consider wearing non-medical grade face masks.					
	-						
Hea	alth p	orot	ocols regarding sick participants and staff members:				
	Isolate staff and participants exhibiting new or worsening signs or symptoms of possible COVID-19 and contact the local health department.						
		Do not allow staff with the new or worsening signs or symptoms of COVID-19 to return to work until:					
		-	In the case of a staffer who was diagnosed with COVID-19, the individual may return to work when all three of the following criteria are met: at least 3 days (72 hours) have passed <i>since recovery</i> (resolution of fever without the use of fever-reducing medications); and the individual has <i>improvement</i> in symptoms (e.g., cough, shortness of breath); and at least 10 days have passed <i>since symptoms first appeared</i> ; or				
		-	In the case of a staffer who has symptoms that could be COVID-19 and does not get evaluated by a medical professional or tested for COVID-19, the individual is assumed to have COVID-19, and the individual may not return to work until the individual has completed the same three-step criteria listed above; or				
		-	If the staffer has symptoms that could be COVID-19 and wants to return to work before completing the above self-isolation period, the individual must obtain a medical professional's note clearing the individual for return based on a negative nucleic acid COVID-19 test and an alternative diagnosis.				
	Staff should help the operator in identifying exposure risks (a.k.a. contact tracing).						
	Each sporting team is considered a cohort. Outside of the sporting event, discourage mixing between cohorts.						
		lmn	nediately isolate any participant or staff member who tests positive for COVID-19.				
	•		staff member tests positive for COVID-19, the adult recreation sports operator should notify participant of possible exposure to a lab-confirmed case of COVID-19.				
			or more cohorts in a sport have individuals test positive for COVID-19, work with state and public health authorities about continued operations of the adult recreational sport.				
			ng the groups or cohort strategy, contact tracing can be initiated promptly, and isolation and reillance can be implemented in short order.				

MINIMUM STANDARD HEALTH PROTOCOLS



ADULT RECREATIONAL SPORTS OPERATORS: Page 3 of 3

Hea	olth protocols for spectators:				
	Individuals should avoid being in a group larger than 10 individuals. Within these groups, individuals should, to the extent possible, minimize in-person contact with others not in the individual's household. Minimizing in-person contact includes maintaining 6 feet of separation from individuals. When maintaining 6 feet of separation is not feasible, other methods should be utilized to slow the spread of COVID-19, such as wearing a face covering or mask, washing or sanitizing hand frequently, and avoiding sharing utensils or other common objects.				
	Consistent with the actions taken by many individuals across the state, all spectators should consider wearing cloth face coverings (over the nose and mouth). If available, spectators should consider wearing non-medical grade face masks.				
Hea	Ith protocols for grounds and facilities:				
	Develop, train, and implement increased daily sanitization protocols for common surfaces, restrooms, recreational equipment, and facilities.				
	Make hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available throughout the facility.				
	Consider having an individual wholly or partially dedicated to ensuring the health protocols adopted by the adult recreation sport operator are being successfully implemented and followed.				
	Health policies and protocols should include communicating and coordinating with the local healt department, local emergency services, and local health care providers.				
	Consistent with the actions taken by many employers across the state, consider having all staff and participants wear cloth face coverings (over the nose and mouth). If available, staff and participants should consider wearing non-medical grade face masks.				
Hea	Ith protocols for adult recreation sport facilities:				
	Develop and implement a Program Activity Hygiene Plan to include:				
	Sanitization of all program areas				
	Sanitization of equipment before and after use				
	Hand washing or hand sanitizing before and after activities				
	Group excursions related to adult recreation sports are strongly discouraged, and should be limited or eliminated where feasible. To the extent those excursions continue, develop and implement Transportation Protocols to include:				
	One individual per seat and every other row in a vehicle				
	Staggered seating for maximum distancing				
	Asking participants and staff to wear face coverings or masks while in vehicle				
	All individuals should sanitize hands upon boarding the vehicle				
	Remind participants of the enhanced risks of participants being in direct contact with anyone age 65 or older for 14 days after participating in the adult recreation sport event or practice.				